

www.janome.ca

Built-in Needle Threader

It's easy to thread the needles and will save you time too. By simply sliding the needle threader switch lever to R for threading the right needle or L for the left needle you'll be ready to go in no time.

Adjustable Foot Pressure Dial

Simply dial 'N' for normal sewing. There are five-levels of presser

foot adjustment to help feed heavy and lightweight fabrics.

JANOME

Lower Looper Pre-tension Setting

No need to open the looper cover, adjust the lower looper tension with this conveniently placed slider. When operated with the easily accessible chaining finger switch; change from standard to rolled hemming in no time.



5.59

9.67"

4.65"

Achieve greater control with the precision engineered 8-piece feed dog and presser foot. The opening in the needle plate is minimized and the robust feed dog system is designed to provide optimal thread and fabric control. The professionally styled Standard foot features a smooth, flat finished base with purpose-built indentations to stabilize thread loop formation and prevent fabric slippage.

Easy Access

No need to open the side cover, the dials are all in one place! Easily adjust the cutting width to ensure stitches sit correctly on the edge of the fabric even on curves, whether the fabric is bulky or fine. The upper knife

Air threading system

can be easily deactivated for decorative flatlock and pintucking.



Integrated Dial

STD. TIGHT

AirThread 2000D

PROFESSIONAL

The cleverly integrated stitch length and differential feed dials can be easily adjusted to the perfect setting for your fabric whether sewing stretch or lightweight fabrics. Experiment to create gathers or decorative lettuce leaf edgings.



Work with the most delicate of fabrics or give favorite knits a "beyond the basics" treatment; the simple ease of the AirThread 2000D serger makes anything possible. Professional grade enhancements provide greater control and stability to take on construction and embellishing techniques for a signature look. Careful attention to every aspect of the AT2000D's design supports sewing of thick or fine fabrics, multiple layers and uneven surfaces while preventing skipped stitches or needle damage. The wide, flat work surface allows for greater visibility and comfort over ordinary sergers, while the convenience of air threading and on-board needle threading encourage worry free thread color changes.






You can work with specialty fabrics like silk or satin to create fine rolled hems or picot edges. Use 3 threads to create beautiful pintucks for lingerie or engage the built-in spreader for the finest 2 thread finish on hems, curves and ruffles.



One-Push Threading

By the simple action of lifting and lowering the lever, an adequate amount of air is accumulated and delivered for threading of the loopers to take place. At whatever speed the lever is operated, the air is released at a uniform rate



when the lever reaches the bottom. This ratchet type air thread system creates optimal conditions for achieving reliable air-threading.

Stable Running

This is a reliable and robust serger. The main shaft is equipped with two ball bearings which provide low torque, making it powerful and stable, even when running at high speeds.







Product Information

| | 347 x 299 x 284 mm |
|--|--|
| Machine Size | 13.6" W x 11.7" H x 11.2" D |
| Machine Weight | 7.9 kg / 17.4 lb |
| Number of Spool Pins | 4 |
| Maximum Stitch Speed | 1300 SPM |
| Needle Type | HAx1-SP#11/14 |
| Number of Needles | 1/2 Needle |
| Number of Threads | 2, 3 or 4 Thread |
| Stitch Length Adjustment | 1 - 5 mm |
| Differential Feed Ratio | 0.5 - 2.0 |
| Feed Dog | 8 Piece |
| Retractable Upper Knife | Yes |
| Adjustable Cutting Width | 3.3 - 7.5 mm |
| Presser Foot Pressure Adjustment | Dial - 5 Levels |
| Presser Foot | Snap-on |
| Presser Foot Height | 5.5 mm |
| Thread Tension Adjustment | Manual |
| Pre-tension | Slide-in |
| Needle Threader | Built-in |
| Upper Looper Threader | Air threading |
| Lower Looper Threader | Air threading |
| LED Lamp | 1 Location |
| Safety Switch | Looper cover, Side cover, Presser foot lift |
| Built-in Spreader | Yes |
| Carrying Handle | Integrated |
| Soft Cover | Yes |
| Instructional DVD | Yes |
| We reserve the right to change specifications without paties | |

Optional Accessories

Beading Attachment

202041108 Comprised of a special sewing foot and guide enabling you to sew strung beads onto the edge of your fabric

Cording foot B

202035006 Used with the narrow hem, this foot allows you to insert decorative cording as you stitch.

Cording foot A

202034005 Foot allows you to insert fine fishing line while rolling the edge of your material, provides beautiful firm and flexible finish.

Ideal for bridal or evening wear.

Elastic Gathering Attachment

202037008 Allows for easy attachment of elastic tape for waists and cuffs, especially useful for making undergarments or

Piping foot

202039000 Set includes 3mm and 5mm Add pre-made piping to edges and seams or to create custom piping using fabric and cording.



202040004 The Blind Stitch Foot is equipped with a guide to help keep your stitching straight.



Gathering Attachment

202036100 This attachment creates wonderful even gathers. You can also gather and sew on a flat piece of fabric in one easy operation.



Gathering foot

200248008 Create evenly distributed gathers with light or medium weight fabrics. Gather a ruffle, sew it to a flat fabric and



overlock the edges in one operation.

Cloth Guide

202038009 This guide helps keep your seams straight as you sew. Especially useful on flatlock seams.



Serger Thread Kit

SERGERTHDKIT 16 Spools of 100% 30wt two-plv spun polyester thread, 750 yd per spool 4 Spools each: Black. White, Grey, Natural



We reserve the right to change specifications without notice.



Standard Accessories





